



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------|------------------|
| 10/694,939 | 10/29/2003 | Yasuo Sawada | R2184.0268/P268 | 6142 |
| 24998 7590 09/05/2008 DICKSTEIN SHAPIRO LLP 1825 EYE STREET NW Washington, DC 20006-5403 | | | | |
| EXAMINER | | | | |
| BIBBINS, LATANYA | | | | |
| ART UNIT | | PAPER NUMBER | | |
| 2627 | | | | |
| MAIL DATE | | DELIVERY MODE | | |
| 09/05/2008 | | PAPER | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/694,939

Applicant(s)

SAWADA ET AL.

Examiner

LaTanya Bibbins

Art Unit

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 May 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-8508)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____
- Paper No(s)/Mail Date _____

DETAILED ACTION

1. In the remarks filed on May 16, 2008, Applicant submitted arguments for allowability of pending claims 1-10.

Response to Arguments

2. Applicant's arguments, filed May 16, 2008, with respect to the 35 U.S.C. 112 first paragraph rejections of claims 1-10 have been fully considered and are persuasive.

The 35 U.S.C. 112 first paragraph rejections of 1-10 have been withdrawn.

3. Applicant's arguments, filed May 16, 2008, with respect to the 35 U.S.C. 103(a) rejections of claims 1-10 have been fully considered but they are not persuasive.

Regarding claims 1-10, Applicant argues that the Nagayama reference fails to disclose $T_1 \cong 0$ when the recording speed exceeding a predetermined threshold speed. Specifically, Applicant asserts that "there is no teaching of $T(n)_L = 0$ when the recording speed exceeds a predetermined threshold" and conveniently points to Table 3 condition numbers 208-211 where $T(n)_L$ has values ranging from 0.2-0.4 at all three linear velocities.

Examiner respectively disagrees with Applicants characterization of the Nagayama reference. Nagayama clearly teaches optimizing a cooling pulse duration $T(n)_L$ for recording at high linear velocity (column 5 lines 29-62 and column 7 lines 40-44). More specifically, Nagayama, teaches an off pulse, or cooling pulse, with a duration $T(n)_L$ preferably set to 0 (column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67). Contrary to Applicant's assertion, Table 3 clearly

shows $T(n)_L = 0$ at 3.5 m/s, 5.0 m/s and 7.0 m/s (see conditions 201-207). Nagayama goes on to further indicate that the optimized recording method for overwriting at a high linear velocity is preferably at least 7.0 m/s (column 7 lines 40-44). Therefore, Nagayama clearly discloses a relationship where $T1 \cong 0$ is satisfied when the recording speed exceeds a predetermined threshold speed.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. **Claims 1 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) in view of Nagayama et al. (US Patent Number 6,560,182 B1).**

Regarding claim 1, Spruit discloses an information recording apparatus for recording information on a recording medium by irradiating a pulsed light onto the recording medium (see column 3 lines 52-65 and Figure 5), comprising: a rotating mechanism that rotates the recording medium at one of predetermined recording speeds (see column 10 lines 18 and 19 and Figure 5 element 7); an optical head irradiating the pulsed light onto the recording medium (see column 3 lines 57 and 58 and Figure 5 element 2); and a controller (Figure 5 element 1) that controls the optical head so as to irradiate the pulsed light (column 3 lines 58 and 59) so that a length of a

recording mark formed on the recording medium by irradiation of the pulsed light is n times of a period T_w of a basic clock, where n is a natural number (see column 2 lines 59 and 60 and Figures 1a and 1b), the controller also controls the pulsed light in accordance with one of predetermined recording strategies which matches the one of the predetermined recording speeds (see column 9 lines 17-21) so that the pulsed light contains a train of multi-pulses of a light (see column 1 lines 21 and 22) having a recording power P_w and a light having a bias power P_b is irradiated during intervals between the adjacent multi-pulses and a light having an erasing power P_e is irradiated during intervals between adjacent trains of the multi-pulses, where a relationship $P_w > P_e > P_b$ is satisfied (see column 3 lines 60-64 and Figure 1b), wherein the controller adds an off-pulse to an end of a final pulse of the train of multi-pulses so that the light having the bias power P_b is irradiated during a period T_1 of the off-pulse (see column 3 lines 62-65); and the controller is capable of setting the period T_1 of the off-pulse to a predetermined value (see column 10 lines 62-64). Spruit, however, fails to specifically teach a relationship where $T_1 \cong 0$ is satisfied when the recording speed exceeds a predetermined threshold speed.

Nagayama, on the other hand, teaches an off pulse, or cooling pulse, with a duration $T(n)_L$, where $T(n)_L$ is decreased and preferably set to 0 (column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67). Nagayama further suggests optimizing the cooling pulse duration $T(n)_L$ for recording at high linear velocity (column 5 lines 29-62 and column 7 lines 40-44).

Given the Examiner interpretation of the "predetermined threshold speed" (see the 112 1st paragraph rejection above where the "predetermined threshold speed" is interpreted as 0 m/s), Nagayama clearly discloses a relationship where $T1 \cong 0$ is satisfied when the recording speed exceeds a predetermined threshold speed (by having the cooling pulse duration equal to 0 at any speed higher than 0 m/s as described in column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the cooling pulse duration taught by Nagayama into the information recoding apparatus taught by Spruit. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to prevent an increase in jitter without increasing the power of laser beam when overwriting is made in an optical recording medium of phase change type at high linear velocity (Nagayama column 2 lines 23-27).

Regarding claim 5, Spruit in combination with Nagayama disclose the information recording apparatus as claimed in claim 1, wherein the controller uses one of the predetermined recording strategies according to which the period of T1 of the off-pulse is set as $T1=0$ (see Nagayama column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67, specifically where teaches an off pulse, or cooling pulse, with a duration $T(n)_L$ preferably set to 0).

6. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) and Nagayama et al. (US Patent Number 6,560,182 B1), as applied to claim 1 above, and further in view of Yamada et al. (US PGPub 2001/0017833 A1).

Regarding claim 2, Spruit in combination with Nagayama disclose the information recording apparatus of claim 1, wherein the controller sets the predetermined value of the period T1 of the off-pulse when recording is performed in accordance with one of the predetermined recording strategies (see Spruit column 10 lines 62-64).

Spruit and Nagayama do not teach that the recording strategy is used for the recording speed equal to or higher than 11 m/s. However, in Figures 2 and 5 Yamada teaches the use of the recording strategy for the recording speed higher than 11 m/s (specifically a maximum recording linear velocity of 12 m/s and 24 m/s in Figures 2 and 5 respectively).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Yamada into the information recording apparatus taught by Spruit and Nagayama. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to provide a method of recording and reproducing information for carrying out multi-speed recording and/or CAV recording which is capable of obtaining high signal quality and improvement in stability, reliability, and general-use properties (Yamada paragraph [0019]).

7. Claims 3, 7, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) in view of Nagayama et al. (US Patent Number 6,560,182 B1) and further in view of Nakamura (US Patent Number 6,631,109 B2).

Regarding claim 3, Spruit in combination with Nagayama teach the information recording apparatus as claimed in claim 1, wherein the recording medium includes a recording layer formed of a material changeable into either an amorphous state or a crystal state (Spruit column 12 lines 16-19), and the controller uses one of the predetermined recording strategies according to which the predetermined value of the period T1 of the off-pulse is set (Spruit column 3 lines 62-65).

Spruit and Nagayama do not teach a recrystallization upper limit linear velocity of the recording medium that is 9 m/s to 13 m/s. However, Nakamura teaches an optical storage medium whose phase change critical linear velocity is 0.7 times the highest linear velocity (see column 7 lines 44-50), where the highest linear velocity of the optical recording medium is defined as 5 m/s to 28 m/s (column 3 line 26).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Spruit and Nagayama with Nakamura. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the information recording apparatus of Spruit and Nagayama with the optical storage medium of Nakamura in order to provide good write/erase

characteristics and improve overwrite performances when the recording is performed at the highest linear velocity (see Nakamura column 7 lines 55-58).

Regarding claim 7, Spruit discloses an information recording method for recording information on a recording medium by irradiating a pulsed light onto the recording medium (column 1 lines 17-21) so that a length of a recording mark formed on the recording medium by irradiation of the pulsed light is n times of a period T_w of a basic clock, where n is a natural number (column 2 lines 59 and 60), the recording medium including a recording layer formed of a material changeable into either an amorphous state or a crystal state (Spruit column 12 lines 16-19), the method comprising the steps of: irradiating the pulsed light containing a train of multi-pulses of a light having a recording power P_w and a light having a bias power P_b during intervals between the adjacent multi-pulses and a light having an erasing power P_e during intervals between adjacent trains of the multi-pulses, where a relationship $P_w > P_e > P_b$ is satisfied and adding an off-pulse to an end of a final pulse of the train of the multi-pulses so that the light having the bias power P_b is irradiated during a period T_1 of the off-pulse (column 1 lines 55-65 and Figure 1b). Spruit, however, fails to specifically teach a relationship where $T_1 \cong 0$ is satisfied.

Nagayama, on the other hand, teaches an off pulse, or cooling pulse, with a duration $T(n)_L$, where $T(n)_L$ is decreased and preferably set to 0 (column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67). Nagayama further suggests optimizing the cooling pulse duration $T(n)_L$ for recording at high linear velocity (column 5 lines 29-62 and column 7 lines 40-44).

Given the Examiner interpretation of the "predetermined threshold speed" (see the 112 1st paragraph rejection above where the "predetermined threshold speed" is interpreted as 0 m/s), Nagayama clearly discloses a relationship where $T1 \cong 0$ is satisfied when the recording speed exceeds a predetermined threshold speed (by having the cooling pulse duration equal to 0 at any speed higher than 0 m/s as described in column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the cooling pulse duration taught by Nagayama into the information recoding apparatus taught by Spruit. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to prevent an increase in jitter without increasing the power of laser beam when overwriting is made in an optical recording medium of phase change type at high linear velocity (Nagayama column 2 lines 23-27).

Spruit and Nagayama do not teach a recording medium having a recrystallization upper limit linear velocity of 9 m/s to 13 m/s, however, Nakamura teaches an optical storage medium whose phase change critical linear velocity is 0.7 times the highest linear velocity (see column 7 lines 44-50), where the highest linear velocity of the optical recording medium is defined as 5 m/s to 28 m/s (column 3 line 26).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Spruit and Nagayama with Nakamura. One of ordinary skill in the art at the time the invention was made would have been

motivated to combine the method of recording of Spruit and Nagayama with the optical storage medium of Nakamura in order to provide good write/erase characteristics and improve overwrite performances when the recording is performed at the highest linear velocity (see Nakamura column 7 lines 55-58).

Regarding claim 10, Spruit, Nagayama, and Nakamura disclose the information recording method as claimed in claim 7, wherein the period T1 of the off-pulse is set as $T1=0$ (see Nagayama column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67, specifically where teaches an off pulse, or cooling pulse, with a duration $T(n)_L$ preferably set to 0).

8. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) and Nagayama et al. (US Patent Number 6,560,182 B1), as applied to claim 1, above, and further in view of Fukuzawa et al. (US Patent Number 6,891,790 B2).

Regarding claim 4, Spruit and Nagayama do not teach an information recording apparatus wherein the controller uses one of the predetermined recording strategies according to which, when a rising of a head pulse of the train of the multi-pulses leads a time when one period T_w has passed after a rising of a logical data pulse by a time interval dT_{top} , a relationship $-0.3T_w < dT_{top} < 0$ is satisfied. However, Fukuzawa teaches delaying the start of the top pulse T_{top} with respect to the data to be recorded such that the claimed relationship $3T_w < dT_{top} < 0$ is satisfied (see column 8 lines 23-38 where different values of Q, the delay of T_{top} , are discussed).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the write strategy of Fukuzawa with the teachings of Spruit and Nagayama. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to avoid generating excessive heat (Fukuzawa column 6 lines 53-56).

9. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) and Nagayama et al. (US Patent Number 6,560,182 B1), as applied to claim 1, above, and further in view of Ueki (US PGPub Number 2003/0086345 A1).

Regarding claim 6, Spruit and Nagayama do not teach an information recording apparatus as claimed in claim 1, wherein the recording medium is a DVD+RW, and the predetermined recording strategies includes a strategy for a recording speed of 3.5 m/s, a strategy for a recording speed of 8.4 m/s and a strategy for a recording speed of 14 m/s, and wherein the predetermined value of the period T1 is set when the strategy for the recording speed of 14 m/s is used to generate the pulsed light when recording.

However, Ueki, teaches an optical disk apparatus wherein the recording medium is a DVD+RW (see paragraph [0052]) and the predetermined recording strategies includes a strategy for a recording speed of 3.5 m/s (see paragraph [0011] and [0046]), and a strategy for a recording speed of 14 m/s (see paragraph [0011] and [0046] where four times the normal velocity of 3.49 m/s is equivalent to 14 m/s), and wherein the predetermined value of the period T1 is set when the strategy for the recording speed of

14 m/s is used to generate the pulsed light when recording (see paragraph [0049] where a strategy for recording is designed to decide the width of the cooling pulse).

Although Ueki fails to specifically teach a strategy for a recording speed of 8.4 m/s, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate a recording strategy for 8.4 m/s since Ueki suggests a normal linear velocity of 3.49 m/s and high linear velocities such as twice or four times the normal velocity are used in known drive apparatus for rewritable optical discs (see paragraph [0011]).

Further, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the DVD+RW recording strategies of Ueki with the optical disk apparatus of Spruit and Nagayama. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to correct a recording laser beam into an optimal waveform in accordance with a change in the linear velocity relating to the scanning of the disc (Ueki paragraph [0046]).

10. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1), Nagayama et al. (US Patent Number 6,560,182 B1), and Nakamura (US Patent Number 6,631,109 B2), as applied to claim 7, above, and further in view of Yamada et al. (US PGPub 2001/0017833 A1).

Regarding claim 8, Spruit, Nagayama, and Nakamura teach the information recording method as claimed in claim 7, wherein the predetermined value is set to the

period T1 of the off-pulse (see Spruit column 10 lines 62-64) but do not teach setting T1 when recording is performed at recording speed equal to or higher than 11 m/s.

However, in Figures 2 and 5 Yamada teaches the use of the recording strategy for the recording speed higher than 11 m/s (specifically a maximum recording linear velocity of 12 m/s and 24 m/s in Figures 2 and 5 respectively).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Yamada into the information recoding apparatus taught by Spruit, Nagayama, and Nakamura. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to provide a method of recording and reproducing information for carrying out multi-speed recording and/or CAV recording which is capable of obtaining high signal quality and improvement in stability, reliability, and general-use properties (Yamada paragraph [0019]).

11. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1), Nagayama et al. (US Patent Number 6,560,182 B1), and Nakamura (US Patent Number 6,631,109 B2), as applied to claim 7, above, and further in view of Fukuzawa et al. (US Patent Number 6,891,790 B2).

Regarding claim 9, Spruit, Nagayama, and Nakamura fail to teach an information recording method wherein when a rising of a head pulse of the train of the

multi-pulses leads a time when one period T_w has passed after a rising of a logical data pulse by a time interval dT_{top} , a relationship $-0.3T_w < dT_{top} < 0$ is satisfied.

However, Fukuzawa teaches delaying the start of the top pulse T_{top} with respect to the data to be recorded such that the claimed relationship $3T_w < dT_{top} < 0$ is satisfied (see column 8 lines 23-38 where different values of Q , the delay of T_{top} , are discussed).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the write strategy of Fukuzawa with the teachings of Spruit, Nagayama, and Nakamura. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to avoid generating excessive heat (Fukuzawa column 6 lines 53-56).

Conclusion

12. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LaTanya Bibbins whose telephone number is (571)270-1125. The examiner can normally be reached on Monday through Friday 7:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wayne Young can be reached on 571 272-7582. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LaTanya Bibbins/
Examiner, Art Unit 2627

/Wayne Young/
Supervisory Patent Examiner, Art Unit 2627